



































Typenbezeichnung / type / type / tipo / tipo	VARIANT 1 TIH	VARIANT 1 NI	AVANT 1 TIH13	AVANT 1 NI13																																																																																																				
<p>MJ-Regelgewinde DIN ISO 5855 Metric coarse thread DIN ISO 5855 Filetage métrique DIN ISO 5855 Filettatura metrica DIN ISO 5855 Rosca métrica DIN ISO 5855 ~DIN 371</p> 																																																																																																								
Bohrung / bore / type de trou / fori / tipos de agujeros																																																																																																								
Einsatzgebiet / application / application adatto per lavorazione di / aplicación	1.4-1.7 / 3.2-3.4 4.4-4.6 / 5.4 6.1-6.3 / 7.2 9.1	1.7 / 7.3 / 9.2	1.5-1.6 / 3.2-3.4 4.4-4.6 / 5.4 6.1-6.3 / 7.2 9.1	1.7 / 4.7 / 7.3 9.2																																																																																																				
Ausführung / model / exécution / modello / modelo	TICN	TICN	TICN	TICN																																																																																																				
Werkstoff / tool material / substrat / materiale / material	HSSE-PM	HSSE-PM	HSSE-PM	HSSE-PM																																																																																																				
Gewindetoleranz / thread tolerance / tolérance du filetage / tolleranza di filettatura / tolerancia de la rosca	4HX	4HX	4HX	4HX																																																																																																				
Schafttoleranz / shank tolerance / tolérance de queue / tolleranza del gambo / tolerancia del mango	h6	h6	h6	h6																																																																																																				
Anschnitt / chamfer / entrée / imbocco / entrada	B / 3,5-5,5	B / 3,5-5,5	C / 2-3	C / 2-3																																																																																																				
<table border="1"> <thead> <tr> <th>Ød₁</th> <th>P</th> <th>l₁</th> <th>l₂</th> <th>l₃</th> <th>Ød₂</th> <th>a</th> <th></th> <th>Identnummer / identification number / code article / codice / número de identificación</th> </tr> </thead> <tbody> <tr> <td>MJ</td> <td>3</td> <td>0,5</td> <td>56</td> <td>11</td> <td>-</td> <td>3,5</td> <td>2,7</td> <td>2,6</td> <td>108817</td> <td>048997</td> <td>111040</td> <td>046259</td> </tr> <tr> <td>MJ</td> <td>4</td> <td>0,7</td> <td>63</td> <td>13</td> <td>-</td> <td>4,5</td> <td>3,4</td> <td>3,4</td> <td>108819</td> <td>049020</td> <td>111041</td> <td>049025</td> </tr> <tr> <td>MJ</td> <td>5</td> <td>0,8</td> <td>70</td> <td>16</td> <td>-</td> <td>6</td> <td>4,9</td> <td>4,3</td> <td>108821</td> <td>049021</td> <td>111042</td> <td>049027</td> </tr> <tr> <td>MJ</td> <td>6</td> <td>1</td> <td>80</td> <td>16</td> <td>30</td> <td>6</td> <td>4,9</td> <td>5,1</td> <td>112069</td> <td></td> <td>111043</td> <td></td> </tr> <tr> <td>MJ</td> <td>6</td> <td>1</td> <td>80</td> <td>19</td> <td>-</td> <td>6</td> <td>4,9</td> <td>5,1</td> <td></td> <td>049022</td> <td></td> <td>049028</td> </tr> <tr> <td>MJ</td> <td>8</td> <td>1,25</td> <td>90</td> <td>18</td> <td>35</td> <td>8</td> <td>6,2</td> <td>6,9</td> <td>108823</td> <td>049023</td> <td>111044</td> <td>035391</td> </tr> <tr> <td>MJ</td> <td>10</td> <td>1,5</td> <td>100</td> <td>20</td> <td>39</td> <td>10</td> <td>8</td> <td>8,7</td> <td>112071</td> <td>049024</td> <td>111051</td> <td>035392</td> </tr> </tbody> </table>	Ød ₁	P	l ₁	l ₂	l ₃	Ød ₂	a		Identnummer / identification number / code article / codice / número de identificación	MJ	3	0,5	56	11	-	3,5	2,7	2,6	108817	048997	111040	046259	MJ	4	0,7	63	13	-	4,5	3,4	3,4	108819	049020	111041	049025	MJ	5	0,8	70	16	-	6	4,9	4,3	108821	049021	111042	049027	MJ	6	1	80	16	30	6	4,9	5,1	112069		111043		MJ	6	1	80	19	-	6	4,9	5,1		049022		049028	MJ	8	1,25	90	18	35	8	6,2	6,9	108823	049023	111044	035391	MJ	10	1,5	100	20	39	10	8	8,7	112071	049024	111051	035392				
Ød ₁	P	l ₁	l ₂	l ₃	Ød ₂	a		Identnummer / identification number / code article / codice / número de identificación																																																																																																
MJ	3	0,5	56	11	-	3,5	2,7	2,6	108817	048997	111040	046259																																																																																												
MJ	4	0,7	63	13	-	4,5	3,4	3,4	108819	049020	111041	049025																																																																																												
MJ	5	0,8	70	16	-	6	4,9	4,3	108821	049021	111042	049027																																																																																												
MJ	6	1	80	16	30	6	4,9	5,1	112069		111043																																																																																													
MJ	6	1	80	19	-	6	4,9	5,1		049022		049028																																																																																												
MJ	8	1,25	90	18	35	8	6,2	6,9	108823	049023	111044	035391																																																																																												
MJ	10	1,5	100	20	39	10	8	8,7	112071	049024	111051	035392																																																																																												

MJ
UNJC
UNJF













Typenbezeichnung / type / type / tipo / tipo	VARIANT 2 TIH	VARIANT 2 NI	AVANT 2 TIH13	AVANT 2 NI13
<p>MJ-Regelgewinde DIN ISO 5855 Metric coarse thread DIN ISO 5855 Filetage métrique DIN ISO 5855 Filettatura metrica DIN ISO 5855 Rosca métrica DIN ISO 5855</p> <p>DIN 376</p> 				
Bohrung / bore / type de trou / fori / tipos de agujeros				
Einsatzgebiet / application / application adatto per lavorazione di / aplicación	1.4-1.7 / 3.2-3.4 4.4-4.6 / 5.4 6.1-6.3 / 7.2 9.1	1.7 / 7.3 / 9.2	1.5-1.6 / 3.2-3.4 4.4-4.6 / 5.4 6.1-6.3 / 7.2 9.1	1.7 / 4.7 / 7.3 9.2
Ausführung / model / exécution / modello / modelo	TICN	TICN	TICN	TICN
Werkstoff / tool material / substrat / materiale / material	HSSE-PM	HSSE-PM	HSSE-PM	HSSE-PM
Gewindetoleranz / thread tolerance / tolérance du filetage / toleranza di filettatura / tolerancia de la rosca	4HX	4HX	4HX	4HX
Schafttoleranz / shank tolerance / tolérance de queue / toleranza del gambo / tolerancia del mango	h6	h6	h6	h6
Anschnitt / chamfer / entrée / imbocco / entrada	B / 3,5-5,5	B / 3,5-5,5	C / 2-3	C / 2-3

Ød ₁	P	l ₁	l ₂	l ₃	Ød ₂	a		Identnummer / identification number / code article / codice / número de identificación	
MJ	12	1,75	110	24	-	9	7	10,5	112073 049029 111052 035393













MJ
UNJC
UNJF

Typenbezeichnung / type / type / tipo / tipo	VARIANT 1 TIH	VARIANT 1 NI	AVANT 1 TIH13	AVANT 1 NI13																																																																																	
<p>UNJC-Grobgewinde ASME B1.15 und ISO 3161 Unified coarse thread ASME B1.15 and ISO 3161 Filetage américain à pas gros ASME B1.15 et ISO 3161 Filettatura grossa unificata ASME B1.15 e ISO 3161 Rosca unificada gruesa ASME B1.15 e ISO 3161 ~DIN 371</p> 																																																																																					
Bohrung / bore / type de trou / fori / tipos de agujeros																																																																																					
Einsatzgebiet / application / application adatto per lavorazione di / aplicación	1.4-1.7 / 3.2-3.4 4.4-4.6 / 5.4 6.1-6.3 / 7.2 9.1	1.7 / 7.3 / 9.2	1.5-1.6 / 3.2-3.4 4.4-4.6 / 5.4 6.1-6.3 / 7.2 9.1	1.7 / 4.7 / 7.3 9.2																																																																																	
Ausführung / model / exécution / modello / modelo	TICN	TICN	TICN	TICN																																																																																	
Werkstoff / tool material / substrat / materiale / material	HSSE-PM	HSSE-PM	HSSE-PM	HSSE-PM																																																																																	
Gewindetoleranz / thread tolerance / tolérance du filetage / tolleranza di filettatura / tolerancia de la rosca	3BX	3BX	3BX	3BX																																																																																	
Schafttoleranz / shank tolerance / tolérance de queue / tolleranza del gambo / tolerancia del mango	h6	h6	h6	h6																																																																																	
Anschnitt / chamfer / entrée / imbocco / entrada	B / 3,5-5,5	B / 3,5-5,5	C / 2-3	C / 2-3																																																																																	
<table border="1"> <thead> <tr> <th>Ød₁</th> <th>P</th> <th>l₁</th> <th>l₂</th> <th>l₃</th> <th>Ød₂</th> <th>a</th> <th></th> <th>Identnummer / identification number / code article / codice / número de identificación</th> </tr> </thead> <tbody> <tr> <td>UNJC No4</td> <td>- 40</td> <td>56</td> <td>11</td> <td>-</td> <td>3,5</td> <td>2,7</td> <td>2,3</td> <td>017688 049032 108765 049041</td> </tr> <tr> <td>UNJC No6</td> <td>- 32</td> <td>56</td> <td>12</td> <td>-</td> <td>4</td> <td>3</td> <td>2,8</td> <td>109548 049033 108766 049042</td> </tr> <tr> <td>UNJC No8</td> <td>- 32</td> <td>63</td> <td>13</td> <td>-</td> <td>4,5</td> <td>3,4</td> <td>3,5</td> <td>109550 049034 109308 049043</td> </tr> <tr> <td>UNJC No10</td> <td>- 24</td> <td>70</td> <td>16</td> <td>-</td> <td>6</td> <td>4,9</td> <td>3,9</td> <td>017684 049035 108764 049044</td> </tr> <tr> <td>UNJC 1/4"</td> <td>- 20</td> <td>80</td> <td>16</td> <td>30</td> <td>7</td> <td>5,5</td> <td>5,2</td> <td>109551 109309</td> </tr> <tr> <td>UNJC 1/4"</td> <td>- 20</td> <td>80</td> <td>20</td> <td>-</td> <td>7</td> <td>5,5</td> <td>5,2</td> <td>049036 049045</td> </tr> <tr> <td>UNJC 5/16"</td> <td>- 18</td> <td>90</td> <td>18</td> <td>35</td> <td>8</td> <td>6,2</td> <td>6,7</td> <td>109552 049039 109310 049047</td> </tr> <tr> <td>UNJC 3/8"</td> <td>- 16</td> <td>100</td> <td>20</td> <td>39</td> <td>10</td> <td>8</td> <td>8,1</td> <td>110826 049037 006325 049046</td> </tr> </tbody> </table>	Ød ₁	P	l ₁	l ₂	l ₃	Ød ₂	a		Identnummer / identification number / code article / codice / número de identificación	UNJC No4	- 40	56	11	-	3,5	2,7	2,3	017688 049032 108765 049041	UNJC No6	- 32	56	12	-	4	3	2,8	109548 049033 108766 049042	UNJC No8	- 32	63	13	-	4,5	3,4	3,5	109550 049034 109308 049043	UNJC No10	- 24	70	16	-	6	4,9	3,9	017684 049035 108764 049044	UNJC 1/4"	- 20	80	16	30	7	5,5	5,2	109551 109309	UNJC 1/4"	- 20	80	20	-	7	5,5	5,2	049036 049045	UNJC 5/16"	- 18	90	18	35	8	6,2	6,7	109552 049039 109310 049047	UNJC 3/8"	- 16	100	20	39	10	8	8,1	110826 049037 006325 049046				
Ød ₁	P	l ₁	l ₂	l ₃	Ød ₂	a		Identnummer / identification number / code article / codice / número de identificación																																																																													
UNJC No4	- 40	56	11	-	3,5	2,7	2,3	017688 049032 108765 049041																																																																													
UNJC No6	- 32	56	12	-	4	3	2,8	109548 049033 108766 049042																																																																													
UNJC No8	- 32	63	13	-	4,5	3,4	3,5	109550 049034 109308 049043																																																																													
UNJC No10	- 24	70	16	-	6	4,9	3,9	017684 049035 108764 049044																																																																													
UNJC 1/4"	- 20	80	16	30	7	5,5	5,2	109551 109309																																																																													
UNJC 1/4"	- 20	80	20	-	7	5,5	5,2	049036 049045																																																																													
UNJC 5/16"	- 18	90	18	35	8	6,2	6,7	109552 049039 109310 049047																																																																													
UNJC 3/8"	- 16	100	20	39	10	8	8,1	110826 049037 006325 049046																																																																													













MJ
UNJC
UNJF

Typenbezeichnung / type / type / tipo / tipo	VARIANT 2 TIH	VARIANT 2 NI	AVANT 2 TIH13	AVANT 2 NI13																																																																																																																																																					
<p>UNJC-Grobgewinde ASME B1.15 und ISO 3161 Unified coarse thread ASME B1.15 and ISO 3161 Filetage américain à pas gros ASME B1.15 et ISO 3161 Filettatura grossa unificata ASME B1.15 e ISO 3161 Rosca unificada gruesa ASME B1.15 e ISO 3161 ~DIN 376</p> 																																																																																																																																																									
Bohrung / bore / type de trou / fori / tipos de agujeros																																																																																																																																																									
Einsatzgebiet / application / application adatto per lavorazione di / aplicación	1.4-1.7 / 3.2-3.4 4.4-4.6 / 5.4 6.1-6.3 / 7.2 9.1	1.7 / 7.3 / 9.2	1.5-1.6 / 3.2-3.4 4.4-4.6 / 5.4 6.1-6.3 / 7.2 9.1	1.7 / 4.7 / 7.3 9.2																																																																																																																																																					
Ausführung / model / exécution / modello / modelo	TICN	TICN	TICN	TICN																																																																																																																																																					
Werkstoff / tool material / substrat / materiale / material	HSSE-PM	HSSE-PM	HSSE-PM	HSSE-PM																																																																																																																																																					
Gewindetoleranz / thread tolerance / tolérance du filetage / tolleranza di filettatura / tolerancia de la rosca	3BX	3BX	3BX	3BX																																																																																																																																																					
Schafttoleranz / shank tolerance / tolérance de queue / tolleranza del gambo / tolerancia del mango	h6	h6	h6	h6																																																																																																																																																					
Anschnitt / chamfer / entrée / imbocco / entrada	B / 3,5-5,5	B / 3,5-5,5	C / 2-3	C / 2-3																																																																																																																																																					
<table border="1"> <thead> <tr> <th>Ød₁</th> <th>P</th> <th>l₁</th> <th>l₂</th> <th>l₃</th> <th>Ød₂</th> <th>a</th> <th></th> <th>Identnummer / identification number / code article / codice / número de identificación</th> </tr> </thead> <tbody> <tr> <td>UNJC</td> <td>1/2"</td> <td>-</td> <td>13</td> <td>110</td> <td>24</td> <td>-</td> <td>9</td> <td>7</td> <td>10,9</td> <td>109554</td> <td>049040</td> <td>108796</td> <td>049049</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>	Ød ₁	P	l ₁	l ₂	l ₃	Ød ₂	a		Identnummer / identification number / code article / codice / número de identificación	UNJC	1/2"	-	13	110	24	-	9	7	10,9	109554	049040	108796	049049																																																																																																																																		
Ød ₁	P	l ₁	l ₂	l ₃	Ød ₂	a		Identnummer / identification number / code article / codice / número de identificación																																																																																																																																																	
UNJC	1/2"	-	13	110	24	-	9	7	10,9	109554	049040	108796	049049																																																																																																																																												

MJ
UNJC
UNJF

Typenbezeichnung / type / type / tipo / tipo	VARIANT 1 TIH	VARIANT 1 NI	AVANT 1 TIH13	AVANT 1 NI13																																																																																										
<p>UNJF-Feingewinde ASME B1.15 und ISO 3161 Unified fine thread ASME B1.15 and ISO 3161 Filetage américain à pas fin ASME B1.15 et ISO 3161 Filettatura fine unificata ASME B1.15 e ISO 3161 Rosca unificada fina ASME B1.15 e ISO 3161 ~DIN 371</p> 																																																																																														
Bohrung / bore / type de trou / fori / tipos de agujeros																																																																																														
Einsatzgebiet / application / application adatto per lavorazione di / aplicación	1.4-1.7 / 3.2-3.4 4.4-4.6 / 5.4 6.1-6.3 / 7.2 9.1	1.7 / 7.3 / 9.2	1.5-1.6 / 3.2-3.4 4.4-4.6 / 5.4 6.1-6.3 / 7.2 9.1	1.7 / 4.7 / 7.3 9.2																																																																																										
Ausführung / model / exécution / modello / modelo	TICN	TICN	TICN	TICN																																																																																										
Werkstoff / tool material / substrat / materiale / material	HSSE-PM	HSSE-PM	HSSE-PM	HSSE-PM																																																																																										
Gewindetoleranz / thread tolerance / tolérance du filetage / tolleranza di filettatura / tolerancia de la rosca	3BX	3BX	3BX	3BX																																																																																										
Schafttoleranz / shank tolerance / tolérance de queue / tolleranza del gambo / tolerancia del mango	h6	h6	h6	h6																																																																																										
Anschnitt / chamfer / entrée / imbocco / entrada	B / 3,5-5,5	B / 3,5-5,5	C / 2-3	C / 2-3																																																																																										
<table border="1"> <thead> <tr> <th>Ød₁</th> <th>P</th> <th>l₁</th> <th>l₂</th> <th>l₃</th> <th>Ød₂</th> <th>a</th> <th></th> <th>Identnummer / identification number / code article / codice / número de identificación</th> </tr> </thead> <tbody> <tr> <td>UNJF No4</td> <td>- 48</td> <td>56</td> <td>11</td> <td>-</td> <td>3,5</td> <td>2,7</td> <td>2,4</td> <td>109304 049074 109220 049116</td> </tr> <tr> <td>UNJF No6</td> <td>- 40</td> <td>56</td> <td>12</td> <td>-</td> <td>4</td> <td>3</td> <td>2,95</td> <td>109305 049076 109207 049117</td> </tr> <tr> <td>UNJF No8</td> <td>- 36</td> <td>63</td> <td>13</td> <td>-</td> <td>4,5</td> <td>3,4</td> <td>3,6</td> <td>109306 049077 109208 049118</td> </tr> <tr> <td>UNJF No10</td> <td>- 32</td> <td>70</td> <td>14</td> <td>25</td> <td>6</td> <td>4,9</td> <td>4,15</td> <td>109231</td> </tr> <tr> <td>UNJF No10</td> <td>- 32</td> <td>70</td> <td>16</td> <td>-</td> <td>6</td> <td>4,9</td> <td>4,15</td> <td>013425 049054 049119</td> </tr> <tr> <td>UNJF 1/4"</td> <td>- 28</td> <td>80</td> <td>16</td> <td>30</td> <td>7</td> <td>5,5</td> <td>5,6</td> <td>013424 109209</td> </tr> <tr> <td>UNJF 1/4"</td> <td>- 28</td> <td>80</td> <td>20</td> <td>-</td> <td>7</td> <td>5,5</td> <td>5,6</td> <td>029648 030282</td> </tr> <tr> <td>UNJF 5/16"</td> <td>- 24</td> <td>90</td> <td>18</td> <td>35</td> <td>8</td> <td>6,2</td> <td>7</td> <td>104661 049080 109211 049121</td> </tr> <tr> <td>UNJF 3/8"</td> <td>- 24</td> <td>90</td> <td>18</td> <td>39</td> <td>10</td> <td>8</td> <td>8,6</td> <td>109307 049079 109232 049120</td> </tr> </tbody> </table>	Ød ₁	P	l ₁	l ₂	l ₃	Ød ₂	a		Identnummer / identification number / code article / codice / número de identificación	UNJF No4	- 48	56	11	-	3,5	2,7	2,4	109304 049074 109220 049116	UNJF No6	- 40	56	12	-	4	3	2,95	109305 049076 109207 049117	UNJF No8	- 36	63	13	-	4,5	3,4	3,6	109306 049077 109208 049118	UNJF No10	- 32	70	14	25	6	4,9	4,15	109231	UNJF No10	- 32	70	16	-	6	4,9	4,15	013425 049054 049119	UNJF 1/4"	- 28	80	16	30	7	5,5	5,6	013424 109209	UNJF 1/4"	- 28	80	20	-	7	5,5	5,6	029648 030282	UNJF 5/16"	- 24	90	18	35	8	6,2	7	104661 049080 109211 049121	UNJF 3/8"	- 24	90	18	39	10	8	8,6	109307 049079 109232 049120				
Ød ₁	P	l ₁	l ₂	l ₃	Ød ₂	a		Identnummer / identification number / code article / codice / número de identificación																																																																																						
UNJF No4	- 48	56	11	-	3,5	2,7	2,4	109304 049074 109220 049116																																																																																						
UNJF No6	- 40	56	12	-	4	3	2,95	109305 049076 109207 049117																																																																																						
UNJF No8	- 36	63	13	-	4,5	3,4	3,6	109306 049077 109208 049118																																																																																						
UNJF No10	- 32	70	14	25	6	4,9	4,15	109231																																																																																						
UNJF No10	- 32	70	16	-	6	4,9	4,15	013425 049054 049119																																																																																						
UNJF 1/4"	- 28	80	16	30	7	5,5	5,6	013424 109209																																																																																						
UNJF 1/4"	- 28	80	20	-	7	5,5	5,6	029648 030282																																																																																						
UNJF 5/16"	- 24	90	18	35	8	6,2	7	104661 049080 109211 049121																																																																																						
UNJF 3/8"	- 24	90	18	39	10	8	8,6	109307 049079 109232 049120																																																																																						

MJ
UNJC
UNJF

Typenbezeichnung / type / type / tipo / tipo	VARIANT 2 TIH	VARIANT 2 NI	AVANT 2 TIH13	AVANT 2 NI13																																																																																																																																																					
<p>UNJF-Feingewinde ASME B1.15 und ISO 3161 Unified fine thread ASME B1.15 and ISO 3161 Filetage américain à pas fin ASME B1.15 et ISO 3161 Filettatura fine unificata ASME B1.15 e ISO 3161 Rosca unificada fina ASME B1.15 e ISO 3161 ~DIN 374</p> 																																																																																																																																																									
Bohrung / bore / type de trou / fori / tipos de agujeros																																																																																																																																																									
Einsatzgebiet / application / application adatto per lavorazione di / aplicación	1.4-1.7 / 3.2-3.4 4.4-4.6 / 5.4 6.1-6.3 / 7.2 9.1	1.7 / 7.3 / 9.2	1.5-1.6 / 3.2-3.4 4.4-4.6 / 5.4 6.1-6.3 / 7.2 9.1	1.7 / 4.7 / 7.3 9.2																																																																																																																																																					
Ausführung / model / exécution / modello / modelo	TICN	TICN	TICN	TICN																																																																																																																																																					
Werkstoff / tool material / substrat / materiale / material	HSSE-PM	HSSE-PM	HSSE-PM	HSSE-PM																																																																																																																																																					
Gewindetoleranz / thread tolerance / tolérance du filetage / tolleranza di filettatura / tolerancia de la rosca	3BX	3BX	3BX	3BX																																																																																																																																																					
Schafttoleranz / shank tolerance / tolérance de queue / tolleranza del gambo / tolerancia del mango	h6	h6	h6	h6																																																																																																																																																					
Anschnitt / chamfer / entrée / imbocco / entrada	B / 3,5-5,5	B / 3,5-5,5	C / 2-3	C / 2-3																																																																																																																																																					
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Ød₁</th> <th>P</th> <th>l₁</th> <th>l₂</th> <th>l₃</th> <th>Ød₂</th> <th>a</th> <th></th> <th>Identnummer / identification number / code article / codice / número de identificación</th> </tr> </thead> <tbody> <tr> <td>UNJF</td> <td>1/2"</td> <td>-</td> <td>20</td> <td>100</td> <td>22</td> <td>-</td> <td>9</td> <td>7</td> <td>11,5</td> <td>013428</td> <td>049082</td> <td>109212</td> <td>049122</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>	Ød ₁	P	l ₁	l ₂	l ₃	Ød ₂	a		Identnummer / identification number / code article / codice / número de identificación	UNJF	1/2"	-	20	100	22	-	9	7	11,5	013428	049082	109212	049122																																																																																																																																		
Ød ₁	P	l ₁	l ₂	l ₃	Ød ₂	a		Identnummer / identification number / code article / codice / número de identificación																																																																																																																																																	
UNJF	1/2"	-	20	100	22	-	9	7	11,5	013428	049082	109212	049122																																																																																																																																												

MJ
UNJC
UNJF